

**AGENDA**  
**OUTAGAMIE COUNTY DRAINAGE BOARD MEETING**  
**TUESDAY, OCTOBER 1, 2024**  
**at the TOWN OF OSBORN TOWN HALL, W3389 COUNTY ROAD EE, SEYMOUR**  
**8:00 a.m.**

Call meeting to order and attendance of members

Drainage Board up-dates with Judge McGinnis

Review and approve minutes of September 3, 2024 meeting

Public participation/comments –

Land Conservation Department Report

Reports on Districts - Districts/Projects and work in progress reports –  
Center-Grand Chute District – Dale Figlinski, Richmond Street

**OLD BUSINESS**

1. Duck Creek Annexation –Plans/profiles submitted to DATCP for review/approval on July 24, 2020 Center-Grand Chute District – DATCP approval received 8-1-24; Public Hearing scheduled Sept 25; Board approval required
2. Big Ring Storage – As-builts received, slope of site drainage
3. Center-Grand Chute Reassessment Study Update
4. James VanCamp property – Property owner’s Attorney contacted Kramer to discuss issues
5. USDA Grant Application Status Report – NRCS/DATCP is reviewing data they have received which will take Paper work has been submitted to Washington for review
6. Freedom Drainage District – Extension of legal drain from County Road J to Farrell Road – Ditch design being completed by LCD; public hearing to be held during annual meeting
7. Andy Parker – Duck Creek Drainage District – Request for variance to allow planting of trees within 75’ corridor setback – variance denied 5-7-24. Owner has until 11-30-24 to remove trees.
8. Freedom Drainage District – Changes or modifications to a formally established cross-section, grade profile or alignment of a district drain, Lateral 3, north of Greiner Road, west of State Rd 55 and east of State Rd 55, south of Co Road UU in the Town of Freedom. Public Hearing held June 4 – Board & DATCP approval pending, submitted 7-26-24 –archeological study approved, Oneida Tribe response needed, bids have been released
9. Request for variance of corridor setback – Vandenbroek Drainage District – 1439 Haen Drive, Matthew and Alexa Wild – Requesting a setback of 25 feet to place a chain link fence.
10. Correction to the Center Valley Drainage District Map and revised plan specifications for Lateral 1 – Public Hearing held September 3, 2024. Held open until October 3 for written comments.

**NEW BUSINESS**

1. Request for variance of corridor setback – Center-Grand Chute District – Edgewood Drive, Nate Heyn – Requesting a variance to the setback for placement of a building
2. Approve 2024 Drainage District Special Assessment Rates for Vandenbroek, Center Valley, Duck Creek and Center – Grand Chute Districts, payable in 2025.

Review of Invoices/Financial Report –

Schedule next regular meeting date Thursday, November 7, 2024 at 8:30 a.m. at the Town of Osborn (date change due to elections on Tuesday)

Legal Drain Connection Applications Received:

Adjournment

Al Kramer, Jr., President