

## **AGENDA**

### **Outagamie County Board of Canvassers**

#### **August 11, 2022 - 8:30 a.m.**

#### **Outagamie County Board Room**

**Administration Building 2<sup>nd</sup> Floor – 320 S. Walnut St., Appleton, WI**

Notice is hereby given that the Outagamie County Board of Canvassers will begin meeting on **Thursday, August 11, 2022, at 8:30 a.m.** for the purpose of canvassing the ballots that were cast in the August 9, 2022 Partisan Primary.

The Board of Canvassers will recess and reconvene per the following schedule until all ballots have been canvassed:

- **Thursday, August 11, 2022 – 8:30 a.m.**
- **Friday, August 12, 2022 – 8:30 a.m.** This meeting may not occur if the Board of Canvassers completes all Election Day ballot returns on August 11, 2022, or members decided to complete the remaining canvass of returns at one of the meeting dates listed below

Municipal clerks have until 4:00 p.m. on Monday, August 15, 2022, to return Municipal Board of Canvass results of their provisional ballots.

PLEASE NOTE: If there are no provisional ballots for the August 9, 2022 Partisan Primary, the Board of Canvass may complete the canvass prior to the provisional ballot reporting deadline of 4:00 p.m. on Monday, August 15, 2022.

The following dates will continue canvassing of remaining Election Day ballots and provisional ballots and certify the election (each date will be dependent upon whether the Board of Canvassers have completed necessary work):

- **Monday, August 15, 2022 – 8:30 a.m.**
- **Tuesday, August 16, 2022 – 8:30 a.m.**
- **Wednesday, August 17, 2022 – 8:30 a.m.**
- **Thursday, August 18, 2022 – 8:30 a.m.**

The Board of Canvass will continue to meet until completion of canvassing the Election Day ballots and provisional ballots and certification of the election according to the above schedule.

#### **Accommodation Notice**

Any person requiring special accommodation who wishes to attend this meeting should contact the County Clerk's office at 832-5077 at least 48 hours in advance.